

Towards a Framework for Immersive Analytics on the Web

Peter W. S. Butcher

University of Chester p.butcher@chester.ac.uk

Nigel W. John

University of Chester nigel.john@chester.ac.uk

Panagiotis D. Ritsos

Bangor University p.ritsos@bangor.ac.uk






github.com/vriajs

We present **<VRIA>**, a framework for building applications for Immersive Analytics using open-standard Web technologies. By combining WebVR, A-Frame, React and Redux, you can now write simple JSON configuration files to produce interactive and immersive Web-based visualizations that are ready to be experienced on every WebVR supported platform.










Choose from one one of *<VRIA>*'s supported data types. </RIA>'s configuration files are based on Vega-Lite specifications except now you can encode data in three dimensions.

</RIA> can slot into practically any existing Web application, the only prerequisites are A-Frame and React.

Experience your immersive data visualization in Virtual Reality on any device with a WebVR enabled browser.



Interaction Components

Every <*VRIA*> visualization component has a corresponding set of interaction components which can be configured in the visualization configuration file. New interactions can be written with A-Frame and React and added to your application with <*VRIA*>'s API.

// config.js

import dataset from './populations.csv';

export default {
 title: 'Populations over time (thousands)',
 data: { dataset },
 mark: { shape: 'box' },
 encoding: {
 x: {
 field: 'Year',
 type: 'ordinal',
 timeUnit: 'YYYY'
 },

y: {
 field: 'Population',
 type: 'quantitative'
},
z: {
 field: 'Country',
 type: 'nominal'
},

color: {
 field: 'Country',
 type: 'nominal'

// App.js


};


import React from 'react'; import ReactDOM from 'react-dom'; import * as AFRAME from 'aframe'; import { Scene } from 'aframe-react'; import VRIA from 'vria'; import config from './config';

class App extends React.Component {
 render() {
 return(
 <Scene>

<VRIA config={config}/>
</Scene>
);


ReactDOM.render(
 <App/>,
 document.getElementById('root')
);





Built with WebVR, A-Frame, React and Redux


Interaction components work with a range of input devices including keyboard and mouse for desktop devices, gaze cursors for mobile devices, and controllers for 3DOF and 6DOF VR HMDs. Gaze cursor interaction with *<VRIA>* on mobile



</br>


<VRIA> currently supports 3D bar
charts (above) and multivariate
scatter plots (right) with more
abstract data visualization types
planned.

Our framework is in ongoing development, with a number of enhancements planned. In the next phase we look to build more 3D vis components, along with corresponding interaction mechanisms. We also plan to integrate features that allow collaborative tasks in VR space.



Architectural overview of an example application built with <VRIA>.

The exact structure and implementation of the high-level DOM architecture of an application that makes use of *<VRIA>* is up to the user, and there is no requirement for the whole application to be written in React. *<VRIA>* can be integrated into existing applications, with the only requirement being that the overarching application makes use of A-Frame scenes. The resulting low level DOM architecture is generated from the JSON config file that is passed to the *<VRIA>* React component.



- **Top Level React Node:** React component containing an A-Frame scene component and any other application code.
- **A-Frame Scene Component:** Contains other A-Frame components and the *<VRIA>* React component.
- **<VRIA> React Component:** Placed within the A-Frame scene, this component is passed a JSON visualization config.

Visualization Config File: A JSON file containing a description of the visualization and controls.

Redux Store: Contains the application state. It is connected to the visualization and control components.

Visualization and Control Components: These components map data to other A-Frame React components.

A-Frame React Components: These components depict visualizations and UI elements and are built with A-Frame.

P. W. S. Putcher, N. W. John, and P. D. Ritsos, "Towards a Framework for Immersive Analytics on the Web," in Posters presented at the IEEE Conference on Visualization (IEEE VIS 2018), Berlin, Germany, 2018.